

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	346	(\enterprise\$3 with directory) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 15:28
S2	346	(enterprise\$3 with directory) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 15:28
S3	23	(enterprise\$3 with directory).ti. and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:08
S4	2	(enterprise\$3 with directory).ti. and (rules polic\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:50
S5	23	(enterprise\$3 and directory).ti. and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:08
S6	23	(enterprise\$3 with directory).ti. and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:08
S7	39	(enterprise\$3 with directory).ab. and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:08
S8	9	(enterprise\$3 with directory).ab. and (rule\$1 polic\$5) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 18:08
S9	41	sender\$3 near1 (rules polic\$5) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:11
S10	5	(sender\$3 near1 (rules polic\$5)) and (receiv\$4 near1 (rules polic\$5)) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:12

S11	4	(sender\$3 near1 (rules polic\$5)) same (receiv\$4 near1 (rules polic\$5)) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:25
S12	2326	((translat\$4 convert\$4) with (recipient\$3 receiver\$3) with format\$3) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:26
S13	317	((translat\$4 convert\$4) with (recipient\$3 receiver\$3) near2 format\$3) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:26
S14	1	(directory with ((translat\$4 convert\$4) with (recipient\$3 receiver\$3) near2 format\$3)) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:31
S15	3	(directory same ((translat\$4 convert\$4) with (recipient\$3 receiver\$3) near2 format\$3)) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:48
S16	9	(enterprise\$3 with directory).ab. and (rule\$1 polic\$5) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:52
S17	0	(proxy-based adj1 translation adj1 of adj1 filters adj1 for adj1 access adj1 to adj1 data adj1 networks)and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:52
S18	0	(proxy-based with translation with of with filters with for with access with to with data with networks)and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 16:53
S19	1	(proxy-based with translation) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 17:37
S20	1	("6810396").PN.	USPAT; USOCR	OR	OFF	2006/06/16 17:38
S21	1	("20030131207").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/16 17:39
S22	1	("6581102").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/16 17:41
S23	1	("6591306").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/16 17:42

S24	1	("6574667").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/16 17:42
S25	10	"6633630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 10:52
S26	1	("6633630").PN.	USPAT; USOCR	OR	OFF	2006/06/21 10:53
S27	1	("20020128946").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/21 13:33
S28	1	("20030041178").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/21 13:41
S29	1	"20020128946"	US-PGPUB; USPAT	OR	OFF	2006/06/21 13:44
S30	1	"20040078373"	US-PGPUB; USPAT	OR	OFF	2006/06/21 15:01
S31	1	"20040078373"	US-PGPUB; USPAT	OR	OFF	2006/06/21 15:01
S32	10201	(open with platform\$1) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:11
S33	30	(open with platform\$1) with enterprise\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:12
S34	4	((open with platform\$1) with enterprise\$3).ab. and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:17
S35	6	((open with platform\$1) and enterprise\$3).ab. and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:51
S36	0	((open with platform\$1) with rout\$4 near2 enterprise\$3) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:51
S37	1	((open with platform\$1) with rout\$4 with enterprise\$3) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:52
S38	2	((open with platform\$1) same rout\$4 with enterprise\$3) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:52

S39	60	((open with platform\$1) and rout\$4 with enterprise\$3) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:52
S40	30	((open with platform\$1)with enterprise\$3) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:52
S41	8	((open with platform\$1)with enterprise\$3) same rout\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:54
S42	24	((open with platform\$1)with enterprise\$3) and rout\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:54
S43	109	((open with platform\$1)with enterprise\$3)".a.b" and rout\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:54
S44	3	((open with platform\$1)with enterprise\$3).ab. and rout\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:55
S45	127	(rout\$3 with enterprise\$3).ab. and rout\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:56
S46	0	(rout\$3 with enterprise\$3).ab. and filter\$1 with duplicat\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:56
S47	0	(rout\$3 with enterprise\$3) with filter\$1 with duplicat\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:56
S48	0	(enterprise\$3) with filter\$1 with duplicat\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:56
S49	2	(enterprise\$3) same filter\$1 with duplicat\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:57

S50	51	(enterprise\$3) and filter\$1 with duplicat\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:49
S51	0	(enterprise\$3).ab. and filter\$1 with duplicat\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:57
S52	0	(enterprise\$3).ti. and filter\$1 with duplicat\$3 and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:57
S53	2	("20020019797").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 14:39
S54	2	("20030041178").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:43
S55	2	("20020019797").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:50
S56	2	("20040078373").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:50
S57	1	((open near1 platform) with routing) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 18:09
S58	2	("20020019797").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 12:53
S59	2	("20040078373").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 13:49
S60	0	(enterprise\$3) and filter\$1 with "credit scoring" and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:49

S61	24	(enterprise\$3) and "credit scoring" and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:57
S62	3	(routing with messages) and "credit scoring" and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:58
S63	1	(routing with "credit scoring") and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:58
S64	137	("credit scoring") and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:58
S65	20	("credit scoring").ab. and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:35
S66	2	("20020128946").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 14:35
S67	3	("2002019797").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 16:21
S68	2	("20020019797").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 16:23
S69	2	("20040078373").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 16:24
S70	2	("6633630").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 16:24
S71	2	("20030065975").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/15 10:26

S72	2	("20010052089").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/15 10:26
S73	2	("20040078373").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/15 23:29
S74	3580	(open near3 platform) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:31
S75	0	(open near3 platform) with (logic\$5 near3 rout\$) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:32
S76	0	(open near3 platform) same (logic\$5 near3 rout\$) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:32
S77	0	(open near3 platform) same (logic\$5 with rout\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:32
S78	86	(open near3 platform) and (logic \$5 with rout\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:33
S79	3	(open near3 platform) and (logic \$5 with rout\$4) and (transform \$4 with format\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:34
S80	11	(open near3 platform) and (logic \$5 with rout\$4) and (convert\$4 with format\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:35
S81	0	(open near3 platform).ab. and (logic\$5 with rout\$4) and (convert\$4 with format\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:35
S82	0	(open near3 platform) same (logic\$5 with rout\$4) and (convert\$4 with format\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:35

S83	0	(open near3 platform) same (logic\$5 with rout\$4) and (format\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:35
S84	76	(open near3 platform) and(logic \$5 with rout\$4) and (format\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:35
S85	6	(open near3 platform).ab. and (logic\$5 with rout\$4) and (format\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:37
S86	5	((open near3 platform) with integrat\$4)and (logic\$5 with rout\$4) and (format\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:38
S87	24	((open near3 platform) with integrat\$4)and (logical) and (format\$4) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 23:48
S88	13	((open near3 platform))and (logical with (rout\$ path\$4)) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 00:13
S89	0	(enterpris)and (logical with (rout\$ path\$4)) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 00:13
S90	346	(enterpris\$5) and (logical with (rout\$ path\$4)) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 00:13
S91	1	(enterpris\$5) with(logical with (rout\$ path\$4)) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 00:13
S92	15	(enterpris\$5) same (logical with (rout\$ path\$4)) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 00:13
S93	2	("6260062").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/16 11:16

S94	447	(rout\$4 near3 scripts) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 16:57
S95	0	(rout\$4 near3 scripts) same sender\$3 same (receipients receivers) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 16:58
S96	0	(rout\$4 near3 scripts) same sender\$3 same (receivers) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 16:58
S97	447	(rout\$4 near3 scripts) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 16:58
S98	47	(rout\$4 near3 scripts).ab. and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 16:58
S99	27	(rout\$4 adj2 scripts).ab. and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 16:58
S100	2	(collect\$ combin\$4) near2(rout \$4 adj2 scripts) and @ad<="20010330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 17:02
S101	1	("6633630").PN.	USPAT; USOCR	OR	OFF	2008/04/02 12:17
S102	1	("6665393").PN.	USPAT; USOCR	OR	OFF	2008/04/02 13:55
S103	1	("5481757").PN.	USPAT; USOCR	OR	OFF	2008/04/02 16:37
S104	1	("6148301").PN.	USPAT; USOCR	OR	OFF	2008/04/02 16:43
S105	1	("6785815").PN.	USPAT; USOCR	OR	OFF	2008/04/07 13:01
S106	1	("6954786").PN.	USPAT; USOCR	OR	OFF	2008/04/07 13:03
S107	1	("20020159437").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/07 13:31
S108	1	("5872928").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/07 13:36

S109	280361	(determin\$4 same (path\$1 rout \$4))and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:15
S110	37194	(determin\$4 same (path\$1 rout \$4)).ab. and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:15
S111	21180	(determin\$4 with (path\$1 rout \$4)).ab. and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:16
S112	916	(determin\$4 with (path\$1 rout \$4) and messages).ab. and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:16
S113	96	(determin\$4 with (path\$1 rout \$4) and messages).ti. and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:16
S114	0	(determin\$4 with (path\$1 rout \$4) and messages).ti. and open near2 platform and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:17
S115	1	(determin\$4 with (path\$1 rout \$4) and messages).ab. and open near2 platform and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:17
S116	196	(determin\$4 with (path\$1 rout \$4) and messages) and open near2 platform and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:18
S117	5	(determin\$4 with (path\$1 rout \$4) and messages) same open near2 platform and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:18
S118	196	(determin\$4 with (path\$1 rout \$4) and messages) and open near2 platform and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:18
S119	81	(determin\$4 with (path\$1 rout \$4) same messages) and open near2 platform and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:19

S120	64	(determin\$4 with (path\$1 rout \$4) with messages) and open near2 platform and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:19
S121	268	(determin\$4 with (path\$1 rout \$4) with messages) and collaborat\$4 and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:26
S122	23	(determin\$4 with (path\$1 rout \$4) with messages) same collaborat\$4 and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:26
S123	0	(determin\$4 near2 (path\$1 near2 rout\$4)) same collaborat \$4 and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:29
S124	24	(determin\$4 near2 (path\$1 near2 rout\$4)) and collaborat\$4 and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:29
S125	1	(select\$4 same determin\$4 near2 (path\$1 near2 rout\$4)) and collaborat\$4 and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:33
S126	48	(select\$4 same determin\$4 with (path\$1 with rout\$4)) and collaborat\$4 and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:36
S127	4	(select\$4 same determin\$4 with (path\$1 with rout\$4) same parameters) and collaborat\$4 and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:37
S128	0	(select\$4 same determin\$4 with (path\$1 with rout\$4) same pre-defined near3 parameters) and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:41
S129	0	(select\$4 same determin\$4 with (path\$1 with rout\$4) same predefined near3 parameters) and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:42
S130	1	(select\$4 same determin\$4 with (path\$1 with rout\$4) same pre-defined) and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:42

S131	11	(determin\$4 with (path\$1 with rout\$4) same pre-defined) and (@ad<="20010330" @rlad<="20010330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 14:42
S132	1	("20020019797").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/02 09:02
S133	1	("20020019797").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/02 13:39

1/ 2/ 2009 4:43:14 PM

C:\ Documents and Settings\ltruong6\ My Documents\ EAST\ Workspaces\ 09820966.wsp